

Jilong®

SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD.
No.460 lanxue Road, Huanglou,
Pudong Area, Shanghai,201205,P.R.China
Tel: +86-21- 58942200 Fax: +86-21-58940305/58940434
E-mail: info@jilong.com Web: www.jilong.com



Visit Our Website
Scan this QR code with
your smartphone to get
more information from
our website.

www.jilong.com

© 2013 Shanghai Jilong Plastic Products Co., Ltd. ALL rights reserved. Printed in China.



Jilong®

2014
ABOVE GROUND
POOL SERIES



Jilong® The Inflatables' Expert

COMPANY PROFILE

Shanghai Jilong Plastic Products Co., Ltd. is an export orientated manufacturer of plastic leisure products with a considerable experience in R&D, high quality manufacturing and world-wide sales. Every year JILONG products reach customers in more than 50 countries in Europe, North America, Australia and Asia.

JILONG factory is equipped with its own R&D centre, where a highly professional team collaborates with foreign designers to develop new products and packages. Various technical parameters of each new product have been tested and verified by internal professional lab, such as ITS, TUV and SGS.

JILONG offers excellent quality, competitive price, OEM manufacturing, low minimum order quantities, timely delivery, product warranty and after sales service in Europe and North America. Join us in our effort to make life more fun!



JILONG (SHANGHAI) Headquarter



JILONG (H-K) Office

JILONG WORLDWIDE
Oversea Agents and Exclusive Distributors



PRODUCTION CAPACITY



Warehouse



Calender Machine for PVC Sheet Production.



6 - Color Roller Printing Machine



Welding Workshop

QUALITY ASSURANCE



Highest level PVC plasticizer of "Hexamoll® DINCH" & High quality PVC powder.



Comprehensive internal lab test and close cooperation with external lab to ensure quality of R&D



Strict IQC on raw material and Stretching range test.



Making water wave to test surround walls pressure and balance.



Successful Brand Planogram

JILONG Group offers a wide range of products; Beach FUN series / Above ground POOL series / Comfort furniture RELAX series / SPORT boat series.

JILONG is the 'Inflatables' Expert', providing fun, fashionable, safe and innovative products. We also cooperate with department stores, DIY stores, sport goods stores and professional fishing stores.


Customer satisfaction is important to us. Our world wide after sales service is provided by our consolidating distributors in: Canada / USA / Mexico / UK / France / Spain / Portugal / Italy / Holland / Belgium / Luxemburg / Poland / Hungary / Czech / Slovakia / Germany / Austria/Swiss / Denmark / Sweden / Finland / Russia... (in random order).

JILONG's strategy is to provide our customers with quality products, at a competitive price. We also ensure our customers are cared for using our extensive customer support system, and enforcing service based procedures.

AFTER SALES SERVICE SYSTEM ---- for your local customer service centre please go to our website www.jilong.com or call our toll free call centers.

JILONG promises to provide advanced global support to all of its customers. JILONG's website and toll - free call centers work closely with customers to solve problems and provide a personalised approach for any issues that may arise. The JILONG website is multi-lingual and can be used as a knowledge database, providing downloadable manuals, instructional DVD and easy to follow answers to FAQ. Regional toll free call centers, and professional after sales service workers, provide additional support to those people who don't have online access or are unable to find specific answers to their questions.


Super Durable 3 Layer Laminated Material



Heavy Gauge PVC

Polyester Mesh

phthalate free super-durable material available upon request.



Heavy Duty PVC



ASTM

PRODUCT SIZE

With the exception of family pools, boats, play centers and water slides, approximate deflated dimensions are shown in our catalogues and on packages.

The product detail specification of the shown in this catalogue may be changed as our continuous products that improvement and development. For updated specifications on any product, please contact with our sales representative.

Content List

ABOVE GROUND POOL

Kids Pool	-----	P06
Prompt Set Pool	-----	P14
Oval Steel Frame Pool	-----	P26
Round Steel Frame Pool	-----	P30
Rectangular Steel Frame Pool	-----	P34

ACCESSORIES

Pool Accessories	-----	P44
------------------	-------	-----







Kids Pool

- Inflatable top ring support the liner
- Heavy gauge 3-layer laminated PVC walls provide lasting durability.
- Easy set up and convenient storage
- 2 colors assorted
- Repair kit, Color box

 **Age 3 +**



Super durable 3 layer laminated Material



2 COLOR IS OPTIONAL


Ø4'x14" (Ø122x35cm). Water Capacity(80%): 60GAL. 230L		
ITEM#	POOL	CASE PACK
JL017230NPF	Ø4'X14"	0.043CBM/6PCS




Kids Pool

- Inflatable top ring support the liner
- Heavy gauge 3-layer laminated PVC walls provide lasting durability.
- Easy setup and convenient storage
- 2 colors assorted
- Repair kit, Color box

 **Age 3 +**



Super durable 3 layer laminated Material



2 COLOR IS OPTIONAL

Ø5'x15" (Ø150x38cm). Water Capacity(80%): 114GAL. 430L		
ITEM#	POOL	CASE PACK
JL017231NPF	Ø5'X15"	0.050CBM/6PCS




See-thru Sidewall,
Great Design!

See-thru Kids Pool

- Have gauge 3-layer laminated PVC walls provide lasting durability
- Easy setup and convenient storage
- Inflatable top ring support the liner
- See-thru Sidewall, Great Design!
- Repair Kit , Color box


Age 3 +



Super durable 3 layer laminated Material



set up less than
10 minutes

Ø6'x25" (Ø183x63cm). Water Capacity(80%): 302GAL. 1143 L				
ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL017232N	Ø6'X25"	/	/	0.016CBM/IPC



set up less than
10 minutes

Ø8'x25" (Ø240x63cm) • Water Capacity (80%): 548GAL. 2074L				
ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL017240N	Ø8'X25"	/	/	0.022CBM/IPC
JL017240NG	Ø8'X25"	JL29P303G(300GAL)	EUROPE	0.044CBM/IST
JL017240NF	Ø8'X25"	JL29P302F(530GAL)	FRANCE	0.044CBM/IST
JL017240NN	Ø8'X25"	JL29P303N(300GAL)	NORTH AMERICA	0.044CBM/IST
JL017240ND	Ø8'X25"	JL29P323D(300GAL 12V)	GERMANY	0.044CBM/IST




NEW!

Hexagon Frame Pools

- Easy set up
- Polyester 3-layers side wall, heavy-duty PVC bottom
- Drain valve and filter connector on the wall
- Sun shade optional
- Repair Kit. Color box


Age 3 +



Super durable 3 layer laminated Material

set up less than
15 minutes

Ø8'X20" (Ø240x51 cm) • Water Capacity (90%): 540GAL. 2047L		
ITEM#	POOL	CASE PACK
JL017270N	8'X20"	0.047CBM/IST







2 COLOR IS OPTIONAL

Kids frame pool

- Easy set up
- Polyester 3-layers side wall, heavy-duty PVC bottom
- Fiberglass frame with plastic corner joint, never rust
- 2 color (blue, orange, green)
- Repair patch, Color box



Super durable 3 layer laminated Material



GLASS FIBER TUBE

OFFICIAL NAME : GLASSFIBRE REINFORCED PLASTIC PIPE
RAW MATERIAL : UNSATURATED POLYESTER RESIN.

WHY CHOOSE FRP PIPE ?

- 1) HIGH CORROSION-RESISTENCE, NEVER RUSTY
- 2) HIGH STRENGTH (HIGHER THAN STEEL PIPE)
- 3) UNDERSTAKE CRITICAL ENVIRONMENT(TEMPERATURE)
- 4) LONG SERVICE LIFE (OVER 10 YEARS)



48"X48"X13"(122cmX122cmX33cm) .Water Capacity(90%): 105GAL.399L		
ITEM#	POOL	CASE PACK
JL017256NPF	48"X48"X13"	0.056CBM/3PCS



NEW!



60"X60"X13"(152cmX152cmX33cm) .Water Capacity(90%): 167GAL.633L		
ITEM#	POOL	CASE PACK
JL017257NPF	60"X60"X13"	0.064CBM/3PCS


PROMPT SET POOLS

FAMILY POOLS SYSTEMS



Prompt Set Pool is a "self-supporting" swimming pool - just inflate the top. The pool assembly is as easy as ABC. The pool can be ready to fill water in within 10-30 minutes. It is easy to disassemble and compact to store during winter season. It is not a dream to make a full use of your backyard space in different seasons. As a professional pool manufacturer JILONG offers various sizes of Prompt Set Pools, ranging from 6' to 18', to satisfy different customers' demands. Wide choice of optional accessories allows you to assemble your perfect set and makes your pool buying decision easy.

1 4 - 2 3



Super durable 3 layer laminated Material

Phthalate free super-durable material available upon request

PROMPT SET POOLS



Repair Kit Included



White Carton
with shrink wrap




Instruction Manual





set up less than
10 minutes

Ø8'X25''(Ø240X63cm) • Water Capacity (80%): 548GAL.2074L				
ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL010201N	Ø8'X25''	/	/	0.022CBM/IPC
JL010201NG	Ø8'X25''	JL29P303G(300GAL)	EUROPE	0.044CBM/IST
JL010201NF	Ø8'X25''	JL29P302F(530GAL)	FRANCE	0.044CBM/IST
JL010201NN	Ø8'X25''	JL29P303N(300GAL)	NORTH AMERICA	0.044CBM/IST
JL010201ND	Ø8'X25''	JL29P323D(300GAL 12V)	GERMANY	0.044CBM/IST



Ø10'X30''(Ø300X76cm) • Water Capacity (80%): 1048GAL.3966L				
ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL010202N	Ø10'X30''	/	/	0.031CBM/IPC
JL010202NG	Ø10'X30''	JL29P303G(300GAL)	EUROPE	0.053CBM/IST
JL010202NF	Ø10'X30''	JL29P302F(530GAL)	FRANCE	0.053CBM/IST
JL010202NN	Ø10'X30''	JL29P303N(300GAL)	NORTH AMERICA	0.053CBM/IST
JL010202ND	Ø10'X30''	JL29P323D(300GAL 12V)	GERMANY	0.053CBM/IST



FILTER PUMP

JL290119

PROMPT SET POOLS



Repair Kit Included



White Carton
with shrink wrap





Instruction Manual



set up less than
10 minutes

Ø12'X30" (Ø360X76cm) • Water Capacity (80%): 1421GAL.5377L


ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL010203N	Ø12'X30"	/	/	0.040CBM/IPC
JL010203NG	Ø12'X30"	JL29P303G(300GAL)	EUROPE	0.065CBM/IST
JL010203NF	Ø12'X30"	JL29P302F(530GAL)	FRANCE	0.065CBM/IST
JL010203NN	Ø12'X30"	JL29P303N(300GAL)	NORTH AMERICA	0.065CBM/IST
JL010203ND	Ø12'X30"	JL29P323D(300GAL 12V)	GERMANY	0.065CBM/IST




FILTER PUMP



POOL COVER



GROUND CLOTH




LADDER



set up less than
10 minutes

Ø12'X36" (Ø360X90cm) • Water Capacity (80%): 1780GAL.6734L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	REMARK	CASE PACK
JL010204N	Ø12'X36"	/	/	/	/	/	0.044CBM/IPC
JL010204NG	Ø12'X36"	JL29P303G(300GAL)	/	/	/	EUROPE	0.072CBM/IST
JL010204NF	Ø12'X36"	JL29P302F(530GAL)	/	/	/	FRANCE	0.072CBM/IST
JL010204NN	Ø12'X36"	JL29P303N(300GAL)	/	/	/	NORTH AMERICA	0.072CBM/IST
JL010204ND	Ø12'X36"	JL29P323D(300GAL 12V)	/	/	/	GERMANY	0.072CBM/IST
JL010204-1NG	Ø12'X36"	JL29P303G(300GAL)	JL016124-2N	JL016123-2N	JL29R112	EUROPE	0.130CBM/IST
JL010204-1NF	Ø12'X36"	JL29P302F(530GAL)	JL016124-2N	JL016123-2N	JL29R112-1F	FRANCE	0.161CBM/IST
JL010204-1NN	Ø12'X36"	JL29P303N(300GAL)	JL016124-2N	JL016123-2N	JL29R112	NORTH AMERICA	0.130CBM/IST
JL010204-1ND	Ø12'X36"	JL29P323D(300GAL 12V)	JL016124-2N	JL016123-2N	JL29R112	GERMANY	0.130CBM/IST



PROMPT SET POOLS



Repair Kit Included



White Carton
Master Carton





Instruction Manual



set up less than
15 minutes

Ø14'X36''(Ø420X90cm) • Water Capacity (80%): 2309GAL.8740L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	REMARK	CASE PACK
JL010207N	Ø14'X36''	/	/	/	/	/	0.072CBM/IPC
JL010207NG	Ø14'X36''	JL29P302G(530GAL)	/	/	/	EUROPE	0.112CBM/IST
JL010207NF	Ø14'X36''	JL29P302F(530GAL)	/	/	/	FRANCE	0.112CBM/IST
JL010207NN	Ø14'X36''	JL29P302N(530GAL)	/	/	/	NORTH AMERICA	0.112CBM/IST
JL010207ND	Ø14'X36''	JL29P324D(530GAL 12V)	/	/	/	GERMANY	0.112CBM/IST
JL010207-1NG	Ø14'X36''	JL29P302G(530GAL)	JL016124-4N	JL016123-4N	JL29R112(90CM)	EUROPE	0.154CBM/IST
JL010207-1NF	Ø14'X36''	JL29P302F(530GAL)	JL016124-4N	JL016123-4N	JL29R112-1F(122CM)	FRANCE	0.193CBM/IST
JL010207-1NN	Ø14'X36''	JL29P302N(530GAL)	JL016124-4N	JL016123-4N	JL29R112(90CM)	NORTH AMERICA	0.154CBM/IST
JL010207-1ND	Ø14'X36''	JL29P324D(530GAL 12V)	JL016124-4N	JL016123-4N	JL29R112(90CM)	GERMANY	0.154CBM/IST





FILTER PUMP




set up less than
15 minutes

Ø15'X36''(Ø450X90cm) • Water Capacity (80%): 2688GAL.10175L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	REMARK	CASE PACK
JL010208N	Ø15'X36''	/	/	/	/	/	0.093CBM/IPC
JL010208NG	Ø15'X36''	JL29P302G(530GAL)	JL016124-5N	JL016123-5N	JL29R112(90CM)	EUROPE	0.188CBM/IST
JL010208NF	Ø15'X36''	JL29P302F(530GAL)	JL016124-5N	JL016123-5N	JL29R112-1F(122CM)	FRANCE	0.210CBM/IST
JL010208NN	Ø15'X36''	JL29P302N(530GAL)	JL016124-5N	JL016123-5N	JL29R112(90CM)	NORTH AMERICA	0.188CBM/IST
JL010208ND	Ø15'X36''	JL29P324D(530GAL 12V)	JL016124-5N	JL016123-5N	JL29R112(90CM)	GERMANY	0.188CBM/IST



POOL COVER





GROUND CLOTH



set up less than
15 minutes

Ø15'X42''(Ø450X106cm) • Water Capacity (80%): 3070GAL.11621L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	REMARK	CASE PACK
JL010217N	Ø15'X42''	/	/	/	/	/	0.096CBM/IST
JL010217NG	Ø15'X42''	JL29P302G(530GAL)	JL016124-5N	JL016123-5N	JL29R112-1(109CM)	EUROPE	0.188CBM/IST
JL010217NF	Ø15'X42''	JL29P302F(530GAL)	JL016124-5N	JL016123-5N	JL29R112-1F(122CM)	FRANCE	0.210CBM/IST
JL010217NN	Ø15'X42''	JL29P302N(530GAL)	JL016124-5N	JL016123-5N	JL29R112-1(109CM)	NORTH AMERICA	0.188CBM/IST
JL010217ND	Ø15'X42''	JL29P324D(530GAL 12V)	JL016124-5N	JL016123-5N	JL29R112-1(109CM)	GERMANY	0.188CBM/IST



LADDER

PROMPT SET POOLS



Pool Maintenance
Kit Included
Repair Kit Included



White Carton
Master Carton




Instruction Manual



set up less than
30 minutes

Ø15'X48" (Ø450X122cm) • Water Capacity (80%): 3512GAL. 13293L



ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017130NG	Ø15'X48"	JL29P327G(800GAL)	JL016124-5N	JL016123-5N	JL29R114	JL290119NG	EUROPE	0.264CBM/IST
JL017130NF	Ø15'X48"	JL29P327F(800GAL)	JL016124-5N	JL016123-5N	JL29R114F	JL290119NG	FRANCE	0.264CBM/IST
JL017130NN	Ø15'X48"	JL29P327N(800GAL)	JL016124-5N	JL016123-5N	JL29R114	JL290119NN	NORTH AMERICA	0.264CBM/IST
JL017130ND	Ø15'X48"	JL29P325D(1000GAL 12V)	JL016124-5N	JL016123-5N	JL29R114	JL290119NG	GERMANY	0.264CBM/IST




set up less than
30 minutes

Ø18'X42" (Ø540X106cm) • Water Capacity (80%): 4770GAL. 18056L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017131NG	Ø18'X42"	JL29P327G(800GAL)	JL016124-6N	JL016123-6N	JL29R112-I	JL290119NG	EUROPE	0.259CBM/IST
JL017131NF	Ø18'X42"	JL29P327F(800GAL)	JL016124-6N	JL016123-6N	JL29R112-IF	JL290119NG	FRANCE	0.279CBM/IST
JL017131NN	Ø18'X42"	JL29P327N(800GAL)	JL016124-6N	JL016123-6N	JL29R112-I	JL290119NN	NORTH AMERICA	0.259CBM/IST
JL017131ND	Ø18'X42"	JL29P325D(1000GAL 12V)	JL016124-6N	JL016123-6N	JL29R112-I	JL290119NG	GERMANY	0.259CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

PROMPT SET POOLS



Pool Maintenance
Kit Included
Repair Kit Included



White Carton
Master Carton





Instruction Manual




set up less than
30 minutes

Ø18"X48" (Ø540X122cm) • Water Capacity (80%): 5473GAL.20717L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL016085NG	Ø18"X48"	JL29P301G(1000GAL)	JL016124-6N	JL016123-6N	JL29R114	JL290119NG	EUROPE	0.314CBM/IST
JL016085NF	Ø18"X48"	JL29P301F(1000GAL)	JL016124-6N	JL016123-6N	JL29R114F	JL290119NG	FRANCE	0.314CBM/IST
JL016085NN	Ø18"X48"	JL29P301N(1000GAL)	JL016124-6N	JL016123-6N	JL29R114	JL290119NN	NORTH AMERICA	0.314CBM/IST
JL016085ND	Ø18"X48"	JL29P325D(1000GAL 12V)	JL016124-6N	JL016123-6N	JL29R114	JL290119NG	GERMANY	0.314CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT



STEEL FRAME POOLS

DELUXE FAMILY POOLS SYSTEMS



OVAL STEEL FRAME POOLS

Oval metal frame pool provides swimming enjoyment for the whole family and friends. Quick assembly structure ensures easy pool installation. Oval shape fits narrow backyards perfectly. Various pool accessories included in certain models.

26-29



ROUND STEEL FRAME POOLS

Modern and high quality Round Metal Frame Pool is a great family above-ground pool, distinguishing itself with a strong non-rusting steel frame and a durable liner. Easy to install, this pool realizes your dreams to have relaxed summer holidays with your family right in your backyard.


30-37



RECTANGULAR STEEL FRAME POOLS

Rectangular Metal Frame Pool uses space more efficiently and fits narrow backyards. It allows you to enjoy a longer swimming distance, so you can race with your friends and enjoy hours of water fun. Various optional accessories available to meet requirements of different countries.

38-43



Super durable 3 layer laminated Material

Phthalate free super-durable material available upon request

➔ OVAL STEEL FRAME POOLS



Metal Frame Included



Pool Maintenance
Kit Included
Repair Kit Included



White Carton
Master Carton





Instruction Manual




18'x10'x42" (540cm x 304cm x 106cm). Water Capacity(80%): 2950GAL. 11180L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017235N	18'X10'X42"	/	/	/	/	/	/	0.234CBM/IPC
JL017235NG	18'X10'X42"	JL29P327G(800GAL)	JL017241N	JL017242N	JL29R112-1	JL290140NG	EUROPE	0.41CBM/IST
JL017235NF	18'X10'X42"	JL29P327F(800GAL)	JL017241N	JL017242N	JL29R112-1F	JL290140NG	FRANCE	0.41CBM/IST
JL017235NN	18'X10'X42"	JL29P327N(800GAL)	JL017241N	JL017242N	JL29R112-1	JL290140NN	NORTH AMERICA	0.41CBM/IST
JL017235ND	18'X10'X42"	JL29P325N(1000GAL 12V)	JL017241N	JL017242N	JL29R112-1	JL290140NG	GERMANY	0.41CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT



➔ OVAL STEEL FRAME POOLS



Metal Frame Included



Pool Maintenance
Kit Included
Repair Kit Included



White Carton
Master Carton




Instruction Manual



set up less than
45 minutes

20'X12'X48''(610X360X122cm) • Water Capacity (80%): 4542GAL.17190L



ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017023NG	20'X12'X48''	JL29P301G(1000GAL)	JL016115-IN	JL016109-IN	JL29R114	JL290140NG	EUROPE	0.393CBM/IST
JL017023NF	20'X12'X48''	JL29P301F(1000GAL)	JL016115-IN	JL016109-IN	JL29R114F	JL290140NG	FRANCE	0.393CBM/IST
JL017023NN	20'X12'X48''	JL29P301G(1000GAL)	JL016115-IN	JL016109-IN	JL29R114	JL290140NN	NORTH AMERICA	0.393CBM/IST
JL017023ND	20'X12'X48''	JL29P325N(1000GAL 12V)	JL016115-IN	JL016109-IN	JL29R114	JL290140NG	GERMANY	0.393CBM/IST




set up less than
45 minutes

24'X12'X48''(732X360X122cm) • Water Capacity (80%): 5582GAL.21120L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017024NG	24'X12'X48''	JL29P326G(1500GAL)	JL016115-2N	JL016109-2N	JL29R114	JL290140NG	EUROPE	0.423CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT



ROUND STEEL FRAME POOLS

NEW!



Metal Frame Included



Repair Kit Included



White Carton
Master Carton




Instruction Manual



set up less than
30 minutes

Ø12'X39" (Ø360X99cm) • Water Capacity (90%): 1991GAL.7526L


ITEM#	POOL	FILTER PUMP	LADDER	POOL COVER	GROUND CLOTH	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017261N	12'X39"	/	/	/	/	/	/	0.126CBM/IPC
JL017261NG	12'X39"	JL29P303G(300GAL)	JL29R112-I	JL016125-1N	JL016123-2N	JL290117NG	EUROPE	0.199CBM/IST
JL017261NF	12'X39"	JL29P302F(530GAL)	JL29R112-IF	JL016125-1N	JL016123-2N	JL290117NG	FRANCE	0.218CBM/IST
JL017261NN	12'X39"	JL29P303N(300GAL)	JL29R112-I	JL016125-1N	JL016123-2N	JL290117NN	NORTH AMERICA	0.199CBM/IST
JL017261ND	12'X39"	JL29P323D(300GAL 12V)	JL29R112-I	JL016125-1N	JL016123-2N	JL290117NG	GERMANY	0.199CBM/IST



set up less than
45 minutes

Ø15'X42" (Ø450X106cm) • Water Capacity (90%): 3636GAL.13745L



ITEM#	POOL	FILTER PUMP	LADDER	POOL COVER	GROUND CLOTH	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017262NG	15'X42"	JL29P302G(530GAL)	JL29R112-I	JL016125-2N	JL016123-5N	JL290117NG	EUROPE	0.270CBM/IST
JL017262NF	15'X42"	JL29P302F(530GAL)	JL29R112-IF	JL016125-2N	JL016123-5N	JL290117NG	FRANCE	0.297CBM/IST
JL017262NN	15'X42"	JL29P302N(530GAL)	JL29R112-I	JL016125-2N	JL016123-5N	JL290117NN	NORTH AMERICA	0.270CBM/IST
JL017262ND	15'X42"	JL29P324D(530GAL 12V)	JL29R112-I	JL016125-2N	JL016123-5N	JL290117NG	GERMANY	0.270CBM/IST




set up less than
45 minutes

Ø18'X48" (Ø540X122cm) • Water Capacity (90%): 6785GAL.25648L


ITEM#	POOL	FILTER PUMP	LADDER	POOL COVER	GROUND CLOTH	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017271NG	18'X48"	JL29P301G(1000GAL)	JL29R114	JL016125-3N	JL016123-6N	JL290119NG	EUROPE	0.398CBM/IST
JL017271NF	18'X48"	JL29P301F(1000GAL)	JL29R114F	JL016125-3N	JL016123-6N	JL290119NG	FRANCE	0.398CBM/IST
JL017271NN	18'X48"	JL29P301N(1000GAL)	JL29R114	JL016125-3N	JL016123-6N	JL290119NN	NORTH AMERICA	0.398CBM/IST
JL017271ND	18'X48"	JL29P325D(1000GAL 12V)	JL29R114	JL016125-3N	JL016123-6N	JL290119NG	GERMANY	0.398CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

ROUND STEEL FRAME POOLS



Metal Frame Included



Repair Kit Included



White Carton
Master Carton




Instruction Manual





Ø10'X30" (Ø300X76cm) • Water Capacity (90%): 1356GAL. 5135L

ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL016026N	Ø10'X30"	/	/	0.071CBM/IPC
JL016026NG	Ø10'X30"	JL29P303G(300GAL)	EUROPE	0.124CBM/IST
JL016026NF	Ø10'X30"	JL29P302F(530GAL)	FRANCE	0.124CBM/IST
JL016026NN	Ø10'X30"	JL29P303N(300GAL)	NORTH AMERICA	0.124CBM/IST
JL016026ND	Ø10'X30"	JL29P323D(300GAL 12V)	GERMANY	0.124CBM/IST




Ø12'x30" (Ø360cmX76cm). Water Capacity(90%): 1617 GAL. 6125 L


ITEM	POOL	FILTER PUMP	REMARK	CASE PACK
JL017236N	Ø12'X30"	/	/	0.095CBM/IPC
JL017236NG	Ø12'X30"	JL29P303G(300GAL)	EUROPE	0.15CBM/IST
JL017236NF	Ø12'X30"	JL29P302F(530GAL)	FRANCE	0.15CBM/IST
JL017236NN	Ø12'X30"	JL29P303N(300GAL)	NORTH AMERICA	0.15CBM/IST
JL017236ND	Ø12'X30"	JL29P323D(300GAL 12V)	GERMANY	0.15CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

ROUND STEEL FRAME POOLS



Metal Frame Included



Repair Kit Included



White Carton
Master Carton




Instruction Manual





Ø15'X36" (Ø450X90cm) • Water Capacity (90%): 3614GAL.13682L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	REMARK	CASE PACK
JL010135NG	Ø15'X36"	JL29P302G(530GAL)	JL016125-2N	JL016123-5N	JL29R112	EUROPE	0.287CBM/IST
JL010135NF	Ø15'X36"	JL29P302F(530GAL)	JL016125-2N	JL016123-5N	JL29R112-1F	FRANCE	0.287CBM/IST
JL010135NN	Ø15'X36"	JL29P302N(530GAL)	JL016125-2N	JL016123-5N	JL29R112	NORTH AMERICA	0.287CBM/IST
JL010135ND	Ø15'X36"	JL29P324D(530GAL 12V)	JL016125-2N	JL016123-5N	JL29R112	GERMANY	0.287CBM/IST




Ø15'X48" (Ø450X122cm) • Water Capacity (90%): 4030GAL.15233L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL017263NG	15'X48"	JL29P327G(800GAL)	JL29R114	JL016125-2N	JL016123-5N	JL290117NG	EUROPE	0.335CBM/IST
JL017263NF	15'X48"	JL29P327F(800GAL)	JL29R114F	JL016125-2N	JL016123-5N	JL290117NG	FRANCE	0.335CBM/IST
JL017263NN	15'X48"	JL29P327N(800GAL)	JL29R114	JL016125-2N	JL016123-5N	JL290117NN	NORTH AMERICA	0.335CBM/IST
JL017263ND	15'X48"	JL29P327D(800GAL 12V)	JL29R114	JL016125-2N	JL016123-5N	JL290117NG	GERMANY	0.335CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

ROUND STEEL FRAME POOLS



Metal Frame Included



Repair Kit Included



White Carton
Master Carton





Instruction Manual




set up less than
45 minutes

Ø18'X48" (Ø540X122cm) • Water Capacity (90%): 6785GAL.25648L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL016093NG	Ø18'X48"	JL29P30IG(1000GAL)	JL016125-3N	JL016123-6N	JL29R114	JL290119NG	EUROPE	0.398CBM/IST
JL016093NF	Ø18'X48"	JL29P30IF(1000GAL)	JL016125-3N	JL016123-6N	JL29R114F	JL290119NG	FRANCE	0.398CBM/IST
JL016093NN	Ø18'X48"	JL29P30IN(1000GAL)	JL016125-3N	JL016123-6N	JL29R114	JL290119NN	NORTH AMERICA	0.398CBM/IST
JL016093ND	Ø18'X48"	JL29P325D(1000GAL 12V)	JL016125-3N	JL016123-6N	JL29R114	JL290119NG	GERMANY	0.398CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

RECTANGULAR STEEL FRAME POOLS



Metal Frame Included



Repair Kit Included




White Carton
Master Carton



Instruction Manual

74"X50"X16.5" (188X127X42cm) • Water Capacity (90%): 298GAL.1125L


ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL017012N	74"X50"X16.5"	/	/	0.035CBM/IST



set up less than
30 minutes

90"X62.6"X16.5" (228X159X42cm) • Water Capacity (90%): 445GAL.1687L


ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL017013N	90"X62.6"X16.5"	/	/	0.041CBM/IST



set up less than
30 minutes

8.5'X6'X26" (258X179X66cm) • Water Capacity (90%): 736GAL.2821L


ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL016101N	8.5'X6'X26"	/	/	0.055CBM/IST
JL016101NG	8.5'X6'X26"	JL29P303G(300GAL)	EUROPE	0.096CBM/IST
JL016101NF	8.5'X6'X26"	JL29P302F(530GAL)	FRANCE	0.096CBM/IST
JL016101NN	8.5'X6'X26"	JL29P303N(300GAL)	NORTH AMERICA	0.096CBM/IST
JL016101ND	8.5'X6'X26"	JL29P323D(300GAL 12V)	GERMANY	0.096CBM/IST



set up less than
30 minutes

10'X6.8'X27.6" (300X207X70cm) • Water Capacity (90%): 1040GAL.3937L

ITEM#	POOL	FILTER PUMP	REMARK	CASE PACK
JL016102N	10'X6.8'X27.6"	/	/	0.072CBM/IST
JL016102NG	10'X6.8'X27.6"	JL29P303G(300GAL)	EUROPE	0.114CBM/IST
JL016102NF	10'X6.8'X27.6"	JL29P302F(530GAL)	FRANCE	0.114CBM/IST
JL016102NN	10'X6.8'X27.6"	JL29P303N(300GAL)	NORTH AMERICA	0.114CBM/IST
JL016102ND	10'X6.8'X27.6"	JL29P323D(300GAL 12V)	GERMANY	0.114CBM/IST





set up less than
30 minutes


13'X6.8'X31.5" (394X207X80cm) • Water Capacity (90%): 1608GAL.6075L

ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	2-STEP LADDER	REMARK	CASE PACK
JL016103N	13'X6.8'X31.5"	/	/	/	/	/	0.102CBM/IST
JL016103NG	13'X6.8'X31.5"	JL29P302G(530GAL)	/	/	/	EUROPE	0.129CBM/IST
JL016103NF	13'X6.8'X31.5"	JL29P302F(530GAL)	/	/	/	FRANCE	0.129CBM/IST
JL016103NN	13'X6.8'X31.5"	JL29P302N(530GAL)	/	/	/	NORTH AMERICA	0.129CBM/IST
JL016103ND	13'X6.8'X31.5"	JL29P324D(530GAL 12V)	/	/	/	GERMANY	0.129CBM/IST
JL016103-ING	13'X6.8'X31.5"	JL29P302G(530GAL)	JL016113N	JL016107N	JL29R111	EUROPE	0.181CBM/IST
JL016103-INF	13'X6.8'X31.5"	JL29P302F(530GAL)	JL016113N	JL016107N	JL29R111F	FRANCE	0.181CBM/IST
JL016103-INN	13'X6.8'X31.5"	JL29P302N(530GAL)	JL016113N	JL016107N	JL29R111	NORTH AMERICA	0.181CBM/IST
JL016103-IND	13'X6.8'X31.5"	JL29P324D(530GAL 12V)	JL016113N	JL016107N	JL29R111	GERMANY	0.181CBM/IST


set up less than
45 minutes




FILTER PUMP



POOL COVER



GROUND CLOTH



LADDER

RECTANGULAR STEEL FRAME POOLS



Metal Frame Included



Pool Maintenance
Kit Included
Repair Kit Included



White Carton
Master Carton




Instruction Manual



set up less than
45 minutes

13'x6.5'x39" (400cm x200cm x90cm).Water Capacity(90%): 1854GAL. 7020L



ITEM#	POOL	FILTER PUMP	3-STEP LADDER	REMARK	CASE PACK
JL017233N	13'X6.5'X39"	/	/	/	0.257CBM/IPC
JL017233NG	13'X6.5'X39"	JL29P302G(530GAL)	/	EUROPE	0.354CBM/IST
JL017233NF	13'X6.5'X39"	JL29P302F(530GAL)	JL29R112-1F	FRANCE	0.377CBM/IST
JL017233NN	13'X6.5'X39"	JL29P302N(530GAL)	/	NORTH AMERICA	0.354CBM/IST
JL017233ND	13'X6.5'X39"	JL29P324D(530GAL 12V)	/	GERMANY	0.354CBM/IST
JL017233-INF	13'X6.5'X39"	JL29P332F(800GAL SAND)	JL29R112-1F	FRANCE	0.556CBM/IST




set up less than
45 minutes

13'x6.8'x48" (400cm x207cm x122cm).Water Capacity(90%): 2343GAL. 8870L


ITEM#	POOL	FILTER PUMP	3-STEP LADDER	REMARK	CASE PACK
JL017234N	13'X6.8'X48"	/	/	/	0.259CBM/IPC
JL017234NG	13'X6.8'X48"	JL29P302G(530GAL)	JL29R114	EUROPE	0.386CBM/IST
JL017234NF	13'X6.8'X48"	JL29P302F(530GAL)	JL29R114F	FRANCE	0.386CBM/IST
JL017234NN	13'X6.8'X48"	JL29P302N(530GAL)	JL29R114	NORTH AMERICA	0.386CBM/IST
JL017234ND	13'X6.8'X48"	JL29P324D(530GAL 12V)	JL29R114	GERMANY	0.386CBM/IST
JL017234-INF	13'X6.8'X48"	JL29P332F(800GAL SAND)	JL29R114F	FRANCE	0.570CBM/IST



FILTER PUMP



SAND PUMP



LADDER

RECTANGULAR STEEL FRAME POOLS



Metal Frame Included



Pool Maintenance Kit Included
Repair Kit Included



White Carton
Master Carton





Instruction Manual




18'X9'X48" (540X274X122cm) • Water Capacity (90%): 4315GAL. 16335L


ITEM#	POOL	FILTER PUMP	POOL COVER	GROUND CLOTH	3-STEP LADDER	POOL MAINTENANCE KIT	REMARK	CASE PACK
JL016110N	18'X9'X48"	/	/	/	/	/	/	0.297CBM/IST
JL016110NG	18'X9'X48"	JL29P301G(1000GAL)	JL016114N	JL016108N	JL29R114	JL290140NG	EUROPE	0.433CBM/IST
JL016110NF	18'X9'X48"	JL29P301F(1000GAL)	JL016114N	JL016108N	JL29R114F	JL290140NG	FRANCE	0.433CBM/IST
JL016110NN	18'X9'X48"	JL29P301N(1000GAL)	JL016114N	JL016108N	JL29R114	JL290140NN	NORTH AMERICA	0.433CBM/IST
JL016110ND	18'X9'X48"	JL29P325D(1000GAL 12V)	JL016114N	JL016108N	JL29R114	JL290140NG	GERMANY	0.433CBM/IST




FILTER PUMP




POOL COVER



GROUND CLOTH



LADDER



MAINTENANCE KIT

POOL ACCESSORIES

Leaf Skimmer



JL290460N
Remove debris off pool water surface
Improved design for easier debris collection
Durable mesh skimmer net
Compatible with 1-1/16"(26.2mm)inner diameter telescoping aluminum shaft(not included),
Cardboard
0.055cbm/24pcs/ctn

Leaf Rake



JL290462N
Scoop debris from pool floor
Deep and durable mesh skimmer net
Compatible with 1-3/16"(29.8mm)inner diameter telescoping aluminum shaft (not included)
Cardboard
0.072cbm/24pcs/ctn

10" Wall Brush



JL290463N
Quickly remove algae and grime from pool walls or pool floor
Straight standard brush for pool cleaning and maintenance
compatible with 1 1/16"(26.2mm) inner diameter telescoping aluminum shaft(not included)
Cardboard
0.026cbm/24pcs/ctn

16" Wall Brush



JL290465N
Quickly remove algae and grime from pool walls or pool floor
curved brush ideal for pool cleaning and maintenance
compatible with 13/16"(29.8mm) inner diameter telescoping aluminum shaft(not included)
Cardboard
0.055cbm/24pcs/ctn

NEW!

Vacuum Head



JL290483N
Vacuum Head with Air Relief Valve
Compatible with 1-3/16"(29.8mm)inner diameter telescoping aluminum shaft
Cardboard
0.028cbm/6pcs/ctn

Deluxe Cleaning Kit



JL290487N
Includes leaf rake, curved wall brush and vacuum head
Durable and deep mesh skimmer net
Vacuum sucks debris off the pool floor and through the filter
curved wall brush can quickly remove algae and grime from pool walls or pool floor
Compatible with 13/16"(29.8mm) inner diameter telescoping aluminum shaft(not included)
clam shell
0.112cbm/6pcs/ctn

Alum Pole



JL290485N
3x37"Alum Pole (total Length:111"),ribbed pole with standard grip and lock Bulk
Ideal for attaching accessories to clean pools
Polybag
0.025cbm/12pcs/ctn

Alum Pole




JL290484N
3x32"Alum Pole (total Length:96"),ribbed pole with standard grip and lock Bulk
Ideal for attaching accessories to clean pools
Polybag
0.017cbm/12pcs/ctn

NEW!

Pool Maintenance Kit

•Whole set includes lightweight aluminium pole with interchangeable vacuum and skimmer heads.
•Polybag with head cardEXTENSIBLE



ITEM NO.	SIZE	FOR POOL SIZE	PACKAGE	REMARK
JL290118NG	61"(155CM)	10'(DIA)	0.064CBM/10PCS	EUROPE
JL290117NG	84"(213CM)	12'(DIA)	0.088CBM/15PCS	
JL290119NG	108"(275CM)	15'-18'(DIA)	0.064CBM/10PCS	
ITEM NO.	SIZE	FOR POOL SIZE	PACKAGE	REMARK
JL290118NN	61"(155CM)	10'(DIA)	0.064CBM/10PCS	NORTH AMERICA
JL290117NN	84"(213CM)	12'(DIA)	0.088CBM/15PCS	
JL290119NN	108"(275CM)	15'-18'(DIA)	0.064CBM/10PCS	

POOL ACCESSORIES

Pool Maintenance Kit

NEW!

JL290490N
Floating chemical dispenser for 1-1/2" tablets
Economy leaf skimmer
Deluxe floating thermometer
3 in 1 Free Chlorine,PH,Total Alkalinity
Deluxe complete underwater vacuum cleaner with 5 sections pole of 48" and brushes
Color box
0.091cbm/6pcs/ctn



Deluxe Vacuum System

JL290461N
Deluxe Vacuum System with additional Small Vacuum Head,
3 Adaptors and 1.5M shaft
Diameter 32 mm X 5 M hose
Removable and reusable debris and leaf bag
Two angled conversion nozzles, one with a brush
Attach to the filter pump for light cleaning your pool
Color Box
0.151cbm/6pcs/ctn



Deluxe Pool Maintenance Kit

JL290488N
Super-easy assembly
Attaches to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
Includes adjustable aluminum pole for large diameter pools
Removable and reusable debris and leaf bag
Extra long vacuum hose (3.2cm diameter)
Vacuum has a one piece cleaning head
Skimmer has a durable mesh netting
Shelf box
0.040cbm/6pcs/ctn



POOL ACCESSORIES

Pool Surface Skimmer

JL290145N
Durable and corrosion-proof plastic material (PP + ABS)
Mount on the pool wall to suck floating leaves or other debris
Attach to the filter pump for skimming automatically
Easy to clean
Fits the filter pump with 800gal/h (3000L/hr) flow rate and above
For Round Steel Frame, Rectangular Steel Frame and Oval Steel Frame
pools(12' pools and above)
White box
0.055cbm /4pcs/ctn



Generic Floating Thermometer

JL290127N
Floating design
Easy to be located & read temperature gradation
Display in Fahrenheit & Celsius
Blister Card
0.075cbm/120pcs/ctn



Pool Thermometer

JL290492N
This meter can test water temperature, deepest can detect four metres below water
Sender could float above the water and it is UV proof.
Receiver have three channels
Water Resistance :Water resistant, but not waterproof.
Transmit/receive range up to 100m
Operating temperature range 32°F to 122°F
Clam shell
0.136cbm/36pcs/ctn




Float animal Thermometer

JL290475N
String attached to keep thermometer in place
Floating design
Easy to read temperature gradation
Displays in both Fahrenheit and Celsius
Blister card package
0.067cbm/24pcs/ctn



Test Strips

JL290471N
3 in 1 Free Chlorine,PH,Total Alkalinity
The ideal solution for basic pool and spa water testing
Easy color-match system
Contains 50 test strips
1 year shelf life
Blister card package
0.007cbm/48pcs/ctn



Water Tester

JL290493N
Easy to read meter replaces complicated color matching systems
Electronically tests the pH and chlorine levels, providing instant, accurate results
Auto-rectification makes it easy to use
Safety measure range for Chlorine Level: 1.2 to 1.7 ppm
Safety measure range for PH Level: 7.2 to 7.8
Water Resistance :Water resistant, but not waterproof.
Double Blister Packing
0.088cbm/36pcs/ctn



Chemical Floater



JL290467N
Dia.9" Floating Dispenser
Dispenses 3" &4" chemical tablets
Adjustable dial to control the release of chemicals Integrated with a thermometer
displays in both Fahrenheit and Celsius
Easy to read temperature gauge
No tablets included
Color box
0.096cbm/12pcs/ctn



JL290469N
Dia.9" Floating Dispenser
Dispenses 3" chemical tablets
Adjustable dial to control the release of chemicals
contractive construction
No tablets included
Color box
0.144cbm/12pcs/ctn



JL290468N
Dia.5" Floating chemical Dispenser
Dispenses 1" chemical tablets
Adjustable dial to control the release of chemicals
contractive construction
No tablets included
Color box
0.03cbm/24pcs/ctn



JL290470N
Dia.7" Floating Dispenser
Dispenses 3" chemical tablets
Adjustable dial to control the release of chemicals
contractive construction
No tablets included
Color box
0.079cbm/12pcs/ctn

POOL ACCESSORIES

NEW!

POOL ACCESSORIES

LED Light

JL290500N
Easy to operate
Easy battery installation
Floating design
Light can be used in water indoor & outdoor and playtime
Color box
0.033cbm/24pcs/ctn



Solar Energy Light


NEW!

JL290501N
Waterproof and solar powered
Easy to operate
Floating design
Light can be used in water indoor & outdoor and playtime
Color box
0.033cbm/24pcs/ctn



Repair Patch

JL290503N
Size:7x7cm
49 cm² stick-on patches
Polybag with head card
0.004cbm/100pcs/ctn




Hoses

NEW!

JL290497N
3.2cm diameter
Suitable for filter pumps
5m length hose
Bulk
0.097cbm/5pcs/ctn


JL290498N
3.8cm diameter
Suitable for filter pumps
5m length hose
Bulk
0.124cbm/9pcs/ctn



POOL ACCESSORIES


2 Step Pool Ladder

• # JL29R111/JL29R111F
• For pool wall height sized:33"(84CM)
• Package:0.114CBM/4PCS
• Coated steel frame
• Durable plastic step
• White carton




3 Step Pool Ladder

• # JL29R112 / # JL29R112-I
• For pool wall height sized:37"(90CM) / 43"(109CM)
• Package:0.106CBM/3PCS / 0.114CBM/3PCS
• Coated steel frame
• Durable plastic step
• White carton




• # JL29R112-1F
• For pool wall height sized under: 48"(122CM)
• Package:0.115CBM/2PCS
• Coated steel frame
• Durable plastic step
• White carton




3 Step Ladder With Platform

• # JL29R114
• For pool wall height sized: 48"(122CM)
• Package:0.130CBM/2PCS
• Coated steel frame
• Durable plastic step
• White carton



• # JL29R114F
• For pool wall height sized above: 48"(122CM)
• Package:0.115CBM/2PCS
• Coated steel frame
• Durable plastic step
• White carton



POOL ACCESSORIES

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS BOTH PROMPT SET POOL & ROUND STEEL FRAME POOL</div> <div> </div>	JL016123N	8.8'x8.8'(270x270CM)	Φ8'(Φ240cm)	0.047CBM/20PCS
	JL016123-1N	10.8'x10.8'(330x330CM)	Φ10'(Φ300cm)	0.034CBM/8PCS
	JL016123-2N	12.8'x12.8'(390x390CM)	Φ12'(Φ360cm)	0.030CBM/6PCS
	JL016123-4N	14.4'x14.4'(440x440CM)	Φ14'(Φ420cm)	0.046CBM/6PCS
	JL016123-5N	15.7'x15.7'(478x478CM)	Φ15'(Φ450cm)	0.048CBM/6PCS
	JL016123-6N	18.7'x18.7'(570x570CM)	Φ18'(Φ540cm)	0.062CBM/4PCS

- Durable material
- Provide extra protection for pool bottom
- Polybag with insert card

FLOATING SOLAR POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS PROMPT SET POOL ONLY</div> <div> </div>	JL017211N	Φ6'4"(Φ195CM)	Φ8'(Φ240cm)	0.05cbm/4pcs
	JL017212N	Φ8'2"(Φ250CM)	Φ10'(Φ300cm)	0.073cbm/4pcs
	JL017213N	Φ10'(Φ305CM)	Φ12'(Φ360cm)	0.060cbm/2pcs
	JL016118N	Φ11'5"(Φ346CM)	Φ14'(Φ420cm)	0.101cbm/2pcs
	JL016119N	Φ12'(Φ364CM)	Φ15'(Φ450cm)	0.107cbm/2pcs
	JL016120N	Φ14'4"(Φ440CM)	Φ18'(Φ540cm)	0.120cbm/2pcs

- Heats water in sunshine
- Prevents heat loss
- Polybag with insert card

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS PROMPT SET POOL ONLY</div> <div></div>	JL016124N	Φ8'(Φ240cm)	Φ8'(Φ240cm)	0.033CBM/6PCS
	JL016124-1N	Φ10'(Φ300cm)	Φ10'(Φ300cm)	0.038CBM/6PCS
	JL016124-2N	Φ12'(Φ360cm)	Φ12'(Φ360cm)	0.046CBM/6PCS
	JL016124-4N	Φ14'(Φ420cm)	Φ14'(Φ420cm)	0.058CBM/6PCS
	JL016124-5N	Φ15'(Φ450cm)	Φ15'(Φ450cm)	0.047CBM/4PCS
	JL016124-6N	Φ18'(Φ540cm)	Φ18'(Φ540cm)	0.069CBM/4PCS

- Durable material
- Rope ties
- Drain holes to prevent water accumulation
- Color box

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS ROUND STEEL FRAME POOL ONLY</div> <div></div>	JL016125N	Φ10'(Φ300cm)	Φ10'(Φ300cm)	0.035CBM/6PCS
	JL016125-1N	Φ12'(Φ360cm)	Φ12'(Φ360cm)	0.052CBM/6PCS
	JL016125-2N	Φ15'(Φ450cm)	Φ15'(Φ450cm)	0.047CBM/4PCS
	JL016125-3N	Φ18'(Φ540cm)	Φ18'(Φ540cm)	0.067CBM/4PCS

- Durable material
- Rope ties
- Drain holes to prevent water accumulation
- Color box


POOL ACCESSORIES

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS OVAL STEEL FRAME POOL ONLY</div> <div></div>	JL017242N	19.5'x13' (583x390CM)	18'x10'x42" (540x304x106CM)	0.040CBM/4PCS
	JL016109-1N	20.8'x14.3' (634x435CM)	20'x12'x48" (610x360x122CM)	0.061CBM/4PCS
	JL016109-2N	24.7'x14.3' (753x435CM)	24'x12'x48" (732x360x122CM)	0.066CBM/4PCS

- Durable material
- Provide extra protection for pool bottom
- Polybag with insert card

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS RECTANGULAR STEEL FRAME POOL ONLY</div> <div></div>	JL016105N	9.45'x6.8' (288x209CM)	8.5'x6'x26" (258x179x66CM)	0.042cbm/20pcs
	JL016106N	10.8'x10.1' (330x309CM)	10'x6.8'x27.6" (300x207x70CM)	0.038cbm/12pcs
	JL016107N	14.1'x10.1' (430x309CM)	13'x6.8'x31.5" (394x207x80CM)	0.050cbm/12pcs
	JL017244N	15.5'x8.7' (472x265CM)	13'x6.5'x39" (400x200x90CM)	0.027cbm/6pcs
	JL017244-1N	16'x8.7' (488x265CM)	13'x6.8'x48" (400x207x122CM)	0.030cbm/6pcs
	JL016108N	20.9'x11' (639x338CM)	18'x9'x48" (540x274x122CM)	0.050cbm/6pcs

- Durable material
- Provide extra protection for pool bottom
- Polybag with insert card

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS OVAL STEEL FRAME POOL ONLY</div> <div></div>	JL017241N	18'x10'x42" (540x304x106CM)	18'x10'x42" (540x304x106CM)	0.04CBM/4PCS
	JL016115-1N	20'x12'x48" (610x360x122CM)	20'x12'x48" (610x360x122CM)	0.053CBM/4PCS
	JL016115-2N	24'x12'x48" (732x360x122CM)	24'x12'x48" (732x360x122CM)	0.060CBM/4PCS

- Durable material
- Rope ties
- Drain holes to prevent water accumulation
- Color box

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
<div>FITS RECTANGULAR STEEL FRAME POOL ONLY</div> <div></div>	JL016111N	8.5'x6' (258x179CM)	8.5'x6'x26" (258x179x66CM)	0.038cbm/6pcs
	JL016112N	10'x6.8' (300x207CM)	10'x6.8'x27.6" (300x207x70CM)	0.044cbm/6pcs
	JL016113N	13'x6' (394x207CM)	13'x6.8'x31.5" (394x207x80CM)	0.049cbm/6pcs
	JL017243N	12.5'x5.8' (380x178cm)	13'x6.5'x39" (400x200x90CM)	0.027cbm/6pcs
	JL017243-1N	12.6'x5.9' (384x181cm)	13'x6.8'x48" (400x207x122CM)	0.030cbm/6pcs
	JL016114N	18'x8.2' (540x250CM)	18'x9'x48" (540x274x122CM)	0.110cbm/6pcs

- Durable material
- Rope ties
- Drain holes to prevent water accumulation
- Color box

POOL ACCESSORIES

300GAL FILTER PUMP

- Ø32mm
- Water Flow:300gal(1200L)/hour
- White Box

RoHS COMPLIANT



ITEM NO.	JL29P302N	JL29P303G	JL29P303E	JL29P323D
VOLTAGE	AC110-120V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/
APPROVED	cETLus	CE	CE	GS
PACKAGE	0.051CBM/3PCS	0.051CBM/3PCS	0.051CBM/3PCS	0.064CBM/3PCS
REMARK	USA	EU	UK	GERMANY
FOR FILTER CARTRIDGE	①			

530GAL FILTER PUMP

- Ø32mm
- Water Flow:530gal(2000L)/hour
- White Box

RoHS COMPLIANT



USA

EUROPE

ITEM NO.	JL29P302N	JL29P302G	JL29P302E	JL29P302F	JL29P324D
VOLTAGE	AC110-120V	AC220-240V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/	/
APPROVED	cETLus	CE	CE	CE	GS
PACKAGE	0.064CBM/3PCS	0.064CBM/3PCS	0.064CBM/3PCS	0.074CBM/3PCS	0.069CBM/3PCS
REMARK	USA	EU	UK	FRANCE	GERMANY
FOR FILTER CARTRIDGE	③	②			

800GAL FILTER PUMP

- Ø32mm
- Water Flow:800gal(3000L)/hour
- White Box

RoHS COMPLIANT



USA

EUROPE

ITEM NO.	JL29P327N	JL29P327G	JL29P327E	JL29P327F
VOLTAGE	AC110-120V	AC220-240V	AC220-240V	AC220-240V
LEAKAGE PROTECTOR	GFCI	/	/	/
APPROVED	cETLus	CE	CE	CE
PACKAGE	0.071CBM/3PCS	0.071CBM/3PCS	0.071CBM/3PCS	0.087CBM/3PCS
REMARK	USA	EU	UK	FRANCE
FOR FILTER CARTRIDGE	③	②		

1000GAL FILTER PUMP

- Ø32mm
- Water Flow:1000gal(3600L)/hour
- White Box

RoHS COMPLIANT



ITEM NO.	JL29P301N	JL29P301G	JL29P301E	JL29P301F	JL29P325D
VOLTAGE	AC110-120V	AC220-240V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/	/
APPROVED	cETLus	CE	CE	CE	GS
PACKAGE	0.055CBM/2PCS	0.055CBM/2PCS	0.055CBM/2PCS	0.061CBM/2PCS	0.064CBM/2PCS
REMARK	USA	EU	UK	FRANCE	GERMANY
FOR FILTER CARTRIDGE	③				

1500GAL FILTER PUMP

- Ø38mm
- Water Flow:1500gal(5600L)/hour
- White Box

RoHS COMPLIANT



ITEM NO.	JL29P326G	JL29P326E
VOLTAGE	AC220-240V	AC220-240V
LEAKAGE PROTECTOR	/	/
APPROVED	CE	CE
PACKAGE	0.077CBM/2PCS	0.077CBM/2PCS
REMARK	EU	UK
FOR FILTER CARTRIDGE	③	

Spray Brush Head

JL290495N
Easy to clean filter cartridge
Two function:brush or washing
Can be locked in auto spraying way
used with a water pipe
Clamshell
0.034cbm/12pcs/ctn



FILTER CARTRIDGE

- Shrink wrapped with insert card
- #JL290587N
- Used for 300gal pump
- 2PC Package
- 0.034cbm/24set(48PCS)/ctn

①



- Shrink wrap with insert card

②

ITEM NO.	FOR FILTER PUMP	PACKAGE
JL290588N	530gal (EU)	0.089CBM/48PCS



- Shrink wrap with insert card

③

ITEM NO.	FOR FILTER PUMP	PACKAGE
JL290589N	530 & 800gal (USA) 1000 & 1500gal (EU,UK,USA)	0.089CBM/32PCS



POOL ACCESSORIES

HEATER PUMP

- #JL290148N
- AC 220-240V, 3000W, GS/CE APPROVED
- Max. Heating Temperature: 40°C
- Applicable Water Volume: 300-5000gal (1200L-18900L)
- Increased heat rate: Approx. 0.5°C, 1.5°C per hour, varied by water volume in pool and temperature of air
- Recommend for 15' pool or smaller one
- Compatible with filter pump with flow rate 1000gal/h or less than 1000gal/h
- White Box
- 2.5KGS, 0.102cbm/4pcs/ctn



800Gal Sand Filter Pump

- #JL29P322GIF
- AC 220-240V, 120W
- Durable and corrosion-proof filter tank
- Pump 800 gallons (3066L) per hour
- Easy operated by 6-position valve
- Flange clamp allows 360 degree rotation for easy installation
- Including pressure gauge, easy read and control
- For all Promps Set, Round Steel Frame, Rectangular Steel Frame and 18 & 20 feet Oval Steel Frame Pool. Water hose's diameter is 32mm.
- Do not include sand
- Required sand size: silica sand, 0.7~1.25mm, approximately 20kgs
- 0.107cbm/1pc/ctn
- White Carton

RoHS COMPLIANT



1500Gal Sand Filter Pump

- #JL29P367G
- (For all Promps Set, Round Steel Frame, Rectangular Steel Frame and 18 & 20 feet Oval Steel Frame Pool. 2pcs water hose's diameter 32mm)
- #JL29P368G
- (For 24' oval steel frame pool required water hose's with dia 38mm)
- AC 220-240V, 300W
- Durable and corrosion-proof filter tank
- Pump 1500 gallons (5670L) per hour
- Easy operated by 6-position valve
- Flange clamp allows 360 degree rotation for easy installation
- Including pressure gauge, easy read and control
- Do not include sand
- Required sand size: silica sand, 0.7~1.25mm, approximately 20kgs
- 0.107cbm/1pc/ctn
- White Carton

RoHS COMPLIANT



52

53